



**FAN TESTING MACHINE TECHNICAL SPECIFICATIONS**

<b>Manufacturer</b>	<b>Long Win Science &amp; Technology Corporation</b>
Model Number	LW-9266
Air Flow Rate	2.4 - 250 CFM
Accuracy of Air Flow Range	< 3.5% INFS
Repeatability error	< 2%
Static pressure	0-20mmAq (100mmAq with the high static pressure throttle device)
Overall Dimensions	0.7 (W) x 2.2 (L) x 1.6 (H) m
Power Source	220VAC, 5A, Single Phase, 50/60Hz
Based on Standards	ISO 5801-2007, AMCA 210-0, ASHRAE 51-2007, IEC 61591-2005, GB/T 1236-200

All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

## Evaluation Report

NF-A12x25 PWM

### TEST EQUIPMENT

Test Environment	Hemi-Anechoic Chamber with 6 dB(A) noise floor
Conditions	25(±2) degrees Celsius, 40-50% humidity
Sound Analyzer	Bruel & Kjaer 2270-S G4 & 2250-L G4
Microphone	Bruel & Kjaer Type 4955-A
Mic Calibrator	Bruel & Kjaer Type 4231
Data Logger	Picoscope TC-08

### TECHNICAL SPECIFICATIONS TABLE

Brand	Noctua
Model	NF-A12x25 PWM
Max Speed (RPM)	2134
Max Airflow (CFM)	56.11
Max Static Pressure (mmAq)	2.26
Max Fan Noise Level	31.30
Fan Bearing Type	SSO2
Fan Connector	PWM
Fan Max Current (A)	0.12
Fan Weight (gr)	250
Dimensions (W x H x D)	120x120x25 mm
Fan daisy-chain connector	X
Cable length (mm)	195

All data and graphs included in this test report can be used by any individual on the following conditions:


- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 2/13


**Evaluation Report**

NF-A12x25 PWM

**PQ Chart 10% Speed**



**PQ Chart 20% Speed**




All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case


## Evaluation Report

NF-A12x25 PWM

### PQ Chart 30% Speed



### PQ Chart 40% Speed




All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case


## Evaluation Report

NF-A12x25 PWM

### PQ Chart 50% Speed



### PQ Chart 60% Speed




All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case


## Evaluation Report

NF-A12x25 PWM

### PQ Chart 70% Speed



### PQ Chart 80% Speed




All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case


## Evaluation Report

NF-A12x25 PWM

### PQ Chart 90% Speed



### PQ Chart 100% Speed




All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**Evaluation Report**



NF-A12x25 PWM

**PQ Chart All Speed**





All data and graphs included in this test report can be used by any individual on the following conditions:  
 > It should be mentioned that the test results are provided by Cybenetics  
 > The link to the original test results document should be provided in any case





All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case





All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case



**Evaluation Report**

NF-A12x25 PWM



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 13/13**